

DEMOGRAPHICS

	Arizona						California						Total					
	4	5	6	7	8	9	4	5	6	7	8	9	4	5	6	7	8	9
SAMPLE	154	182	199	178	133	218	153	129	141	184	167	138	307	311	340	362	300	356
Age	9.2 (.5)	10.2 (.5)	11.2 (.5)	12.3 (.5)	13.2 (.5)	14.3 (.6)	9.1 (.4)	10.1 (.4)	11.1 (.4)	12.2 (.5)	13.1 (.5)	14.2 (.5)	9.2 (.4)	10.2 (.4)	11.2 (.5)	12.2 (.5)	13.2 (.5)	14.3 (.6)
Ethnicity																		
White	46%	37%	45%	48%	46%	46%	26%	26%	28%	28%	25%	28%	36%	32%	38%	38%	34%	39%
Black	7%	9%	12%	13%	8%	6%	24%	25%	22%	21%	21%	20%	15%	15%	16%	17%	15%	11%
Hispanic	35%	42%	35%	32%	37%	39%	31%	29%	31%	35%	34%	27%	33%	37%	34%	34%	35%	35%
Asian	3%	2%	6%	1%	4%	4%	9%	8%	9%	8%	7%	11%	6%	4%	7%	4%	6%	6%
American Indian	6%	7%	1%	2%	2%	2%	3%	4%	1%	3%	1%	1%	5%	6%	1%	2%	2%	1%
Multiethnic	2%	2%	1%	3%	4%	2%	3%	2%	6%	4%	8%	12%	3%	2%	3%	4%	6%	6%
Other	0%	1%	2%	1%	0%	1%	5%	6%	3%	2%	4%	1%	2%	3%	2%	1%	2%	1%
BMI	18.6 (3.3)	19.7 (4.9)	20.4 (5.0)	21.5 (5.6)	22.6 (5.0)	22.8 (5.0)	20.0 (4.8)	20.4 (4.9)	21.7 (5.2)	21.7 (4.6)	23.3 (5.5)	23.2 (4.7)	19.3 (4.1)	20.0 (4.8)	20.9 (5.1)	21.6 (5.1)	23.0 (5.3)	23.0 (4.9)
Father's education																		
Less than high school	5%	13%	13%	16%	13%	19%	12%	9%	12%	18%	18%	19%	8%	11%	13%	17%	15%	19%
Finished high school	39%	40%	42%	40%	41%	39%	32%	37%	35%	38%	36%	36%	36%	39%	39%	39%	38%	38%
More than high school	56%	47%	45%	44%	46%	42%	56%	55%	53%	44%	47%	45%	56%	50%	48%	44%	47%	43%
Mother's education																		
Less than high school	11%	18%	17%	19%	18%	17%	15%	12%	15%	18%	19%	18%	13%	15%	16%	18%	19%	18%
Finished high school	40%	30%	31%	32%	37%	39%	32%	34%	34%	38%	35%	28%	36%	32%	32%	35%	36%	35%
More than high school	49%	52%	51%	50%	45%	44%	52%	54%	51%	44%	46%	53%	50%	53%	51%	47%	45%	48%
Language other than English spoken at home	20%	16%	19%	10%	17%	17%	31%	23%	18%	24%	20%	20%	25%	19%	19%	17%	19%	18%
Parents divorced	40%	48%	42%	52%	56%	51%	35%	43%	39%	49%	42%	48%	37%	46%	41%	50%	48%	50%
Maturity- Age of first period																		
Haven't started	95%	86%	63%	23%	6%	2%	91%	88%	58%	23%	6%	3%	93%	87%	61%	23%	6%	2%
Grade 4 or before	5%	4%	2%	4%	4%	5%	9%	2%	6%	4%	9%	7%	7%	3%	4%	4%	6%	6%
Grade 5		10%	8%	10%	14%	11%		10%	13%	9%	12%	14%		10%	10%	9%	13%	12%
Grade 6			27%	30%	23%	27%			23%	33%	21%	25%			25%	31%	22%	26%
Grade 7				33%	34%	26%				31%	32%	28%				32%	33%	27%
Grade 8					19%	21%					20%	18%					20%	20%
Grade 9						8%						5%						7%
Maturity-Age of dating																		
Haven't started	89%	75%	58%	41%	23%	19%	87%	81%	61%	52%	35%	25%	88%	77%	60%	47%	29%	21%
Grade 4 or before	11%	9%	12%	15%	12%	6%	13%	9%	13%	12%	13%	9%	12%	9%	12%	14%	13%	7%
Grade 5		16%	9%	12%	16%	5%		10%	7%	8%	6%	5%		14%	8%	10%	10%	5%
Grade 6			21%	16%	19%	17%			19%	9%	15%	8%			21%	13%	17%	14%
Grade 7				16%	16%	19%				19%	15%	22%				17%	15%	20%
Grade 8					14%	17%					16%	13%					15%	16%
Grade 9						17%						18%						17%

TOTAL SAMPLE

	Arizona						California						Total					
	4	5	6	7	8	9	4	5	6	7	8	9	4	5	6	7	8	9
Activities that make you feel good about yourself	NA	NA	3.2 (2.1)	3.4 (2.1)	3.0 (2.0)	2.6 (1.8)	NA	NA	2.6 (1.9)	2.6 (2.1)	2.8 (2.0)	2.4 (1.7)	NA	NA	2.9 (2.1)	3.0 (2.1)	2.9 (2.0)	2.4 (1.7)
Appearance Appraisal*	2.3 (.5)	2.2 (.6)	3.2 (1.0)	3.0 (1.0)	2.7 (1.0)	2.8 (.9)	2.2 (.60)	2.2 (.6)	3.0 (1.0)	3.0 (1.0)	2.7 (1.0)	2.8 (.9)	2.3 (.5)	2.2 (.6)	3.1 (1.0)	3.1 (1.0)	2.9 (1.0)	2.9 (1.0)
Binge Eating*	1.3 (.5)	1.4 (.5)	1.8 (.9)	1.8 (.9)	2.0 (1.0)	2.0 (1.0)	1.4 (.5)	1.4 (.5)	1.8 (.9)	1.9 (.9)	1.9 (1.0)	2.0 (1.0)	1.3 (.5)	1.4 (.5)	1.8 (.9)	1.9 (.9)	1.9 (1.0)	2.0 (1.0)
Bothered by body changes**	.5 (.6)	.8 (.8)	1.2 (1.1)	1.4 (1.1)	1.5 (1.2)	1.4 (1.0)	.6 (.7)	.7 (.9)	1.3 (1.1)	1.4 (1.2)	1.2 (.8)	1.2 (1.1)	.5 (.7)	.8 (.8)	1.3 (1.1)	1.4 (1.1)	1.3 (1.0)	1.3 (1.1)
Confidence*	2.4 (.5)	2.4 (.5)	3.4 (.9)	3.3 (.9)	2.9 (.9)	3.1 (.8)	2.4 (.4)	2.4 (.5)	3.3 (.9)	3.3 (.9)	3.3 (.9)	3.3 (.9)	2.4 (.5)	2.4 (.5)	3.3 (.9)	3.3 (.9)	3.2 (1.0)	3.2 (.9)
Depression*	1.6 (.4)	1.7 (.5)	2.1 (.8)	2.3 (.8)	2.5 (.9)	2.4 (.7)	1.6 (.5)	1.6 (.4)	2.2 (.8)	2.2 (.8)	2.1 (.7)	2.3 (.8)	1.6 (.4)	1.7 (.5)	2.2 (.8)	2.3 (.8)	2.3 (.8)	2.4 (.8)
Emotional Eating-Less*	1.6 (.5)	1.5 (.5)	1.9 (.9)	2.2 (1.0)	2.3 (1.0)	2.2 (.9)	1.7 (.5)	1.6 (.5)	2.0 (.9)	2.0 (.9)	2.0 (.9)	2.0 (.8)	1.7 (.5)	1.6 (.5)	2.0 (.9)	2.1 (.9)	2.1 (.9)	2.1 (.8)
Emotional Eating-More*	1.3 (.4)	1.3 (.4)	1.6 (.8)	1.7 (.7)	1.9 (.8)	2.0 (.9)	1.4 (.4)	1.4 (.5)	1.7 (.8)	1.7 (.8)	1.7 (.9)	2.0 (.9)	1.3 (.4)	1.3 (.4)	1.6 (.8)	1.7 (.8)	1.8 (.8)	2.0 (.9)
Father Stunkard Score	4.6 (1.3)	4.6 (1.3)	4.5 (1.4)	1.6 (1.3)	4.7 (1.3)	4.7 (1.5)	4.6 (1.3)	4.7 (1.4)	1.5 (1.2)	1.7 (1.4)	4.8 (1.3)	1.6 (1.5)	4.5 (1.3)	4.7 (1.3)	4.5 (1.3)	4.6 (1.3)	4.7 (1.3)	4.7 (1.5)
Health- Insulin use	2%	4%	2%	2%	2%	0%	3%	3%	0%	1%	1%	0%	3%	4%	1%	1%	1%	0%
Health- Ritalin use	5%	4%	5%	7%	5%	4%	8%	6%	4%	3%	2%	1%	7%	5%	4%	5%	3%	3%
History of Family Eating Disorder	NA	NA	17%	15%	25%	17%	NA	NA	17%	18%	13%	22%	NA	NA	17%	17%	18%	19%
Media Modelling*	1.4 (.6)	1.5 (.6)	2.0 (.2)	2.2 (1.2)	1.5 (1.3)	2.3 (1.2)	1.5 (.6)	1.5 (.6)	2.0 (1.2)	1.9 (1.1)	2.1 (1.2)	2.1 (1.1)	1.5 (.6)	1.5 (.6)	2.0 (1.2)	2.1 (1.2)	2.3 (1.3)	2.2 (1.2)
Mother Stunkard score	4.3 (1.1)	4.4 (1.2)	4.1 (1.2)	4.3 (1.2)	4.4 (1.2)	4.8 (1.5)	4.4 (1.2)	4.4 (1.2)	4.3 (1.2)	4.6 (1.3)	4.5 (1.3)	4.4 (1.2)	4.3 (1.2)	4.4 (1.2)	4.2 (1.2)	4.4 (1.3)	4.5 (1.2)	4.6 (1.4)
Number of negative life events	2.6 (1.6)	2.9 (1.7)	4.0 (1.7)	3.3 (1.7)	3.6 (1.6)	4.2 (1.6)	2.7 (1.6)	3.0 (1.7)	3.0 (1.8)	3.9 (1.7)	3.0 (1.7)	4.0 (1.6)	2.7 (1.6)	3.0 (1.7)	3.6 (1.8)	3.6 (1.8)	3.3 (1.7)	4.1 (1.6)
Overconcern with weight and shape*	1.6 (.5)	1.7 (.6)	2.4 (1.1)	2.6 (1.2)	2.8 (1.3)	2.6 (1.2)	1.7 (.6)	1.7 (.6)	2.5 (1.2)	2.4 (1.1)	2.8 (1.3)	2.6 (1.1)	1.6 (.6)	1.7 (.6)	2.4 (1.2)	2.5 (1.1)	2.6 (1.2)	2.6 (1.1)
Parental concern with thinness*	1.3 (.5)	1.3 (.6)	1.4 (.8)	1.4 (.8)	1.4 (.8)	1.2 (.6)	1.2 (.5)	1.3 (.5)	1.4 (.8)	1.4 (.8)	1.4 (.8)	1.2 (.6)	1.2 (.5)	1.3 (.5)	1.4 (.8)	1.4 (.8)	1.4 (.8)	1.2 (.6)
Peer concern with thinness*	1.5 (.6)	1.6 (.6)	2.2 (1.0)	2.4 (1.1)	2.8 (1.1)	2.7 (1.1)	1.5 (.5)	1.5 (.5)	2.1 (1.0)	2.2 (1.0)	2.8 (1.1)	2.7 (1.1)	1.5 (.5)	1.5 (.5)	2.1 (1.0)	2.2 (1.0)	2.4 (1.2)	2.6 (1.0)
Perceived risk of eating disorder	NA	NA	18%	16%	26%	20%	NA	NA	13%	13%	14%	14%	NA	NA	16%	15%	19%	18%
Perfectionism***	3.3 (.9)	3.2 (.8)	2.7 (.8)	2.6 (.8)	2.7 (.9)	2.6 (.8)	3.2 (1.0)	3.0 (.9)	2.6 (.9)	2.7 (.9)	2.7 (.9)	2.6 (.9)	3.2 (.9)	3.1 (.8)	2.7 (.9)	2.6 (.9)	2.7 (.9)	2.6 (.9)
Purging*	1.1 (.2)	1.0 (.2)	1.1 (.4)	1.1 (.4)	1.2 (.5)	1.1 (.3)	1.1 (.3)	1.1 (.3)	1.1 (.3)	1.1 (.3)	1.1 (.4)	1.1 (.4)	1.2 (.5)	1.1 (.2)	1.1 (.2)	1.1 (.4)	1.1 (.4)	1.1 (.4)

School performance****	2.5 (.6)	2.5 (.6)	2.4 (.7)	2.1 (.7)	2.0 (.8)	2.1 (.8)	2.4 (.7)	2.3 (.7)	2.2 (.6)	2.2 (.7)	2.2 (.7)	2.2 (.7)	2.5 (.7)	2.4 (.6)	2.3 (.7)	2.1 (.7)	2.1 (.7)	2.1 (.7)
Sexual pressure	NA	NA	3%	13%	24%	25%	NA	NA	12%	10%	17%	24%	NA	NA	7%	12%	20%	25%
Social eating*	1.4 (.6)	1.5 (.6)	1.9 (1.0)	2.2 (1.1)	2.5 (1.2)	2.1 (1.0)	1.5 (.6)	1.5 (.6)	2.0 (1.1)	2.1 (1.1)	2.0 (1.1)	2.0 (1.0)	1.5 (.6)	1.5 (.6)	2.0 (1.1)	2.1 (1.2)	2.0 (1.1)	2.0 (1.0)
Social evaluation*	NA	NA	2.6 (1.3)	2.9 (1.2)	3.3 (1.4)	2.9 (1.3)	NA	NA	2.5 (1.3)	2.7 (1.4)	2.7 (1.4)	2.7 (1.3)	NA	NA	2.5 (1.3)	2.7 (1.4)	2.7 (1.4)	2.7 (1.3)
Sports pressure for thinness	NA	NA	59%	53%	46%	42%	NA	NA	44%	48%	41%	35%	NA	NA	53%	51%	43%	40%
Stress-headaches	2.1 (.7)	2.1 (.6)	3.0 (1.1)	3.1 (1.0)	3.3 (1.1)	2.8 (1.0)	2.1 (.7)	2.2 (.6)	3.1 (1.0)	3.0 (1.1)	2.9 (1.0)	2.9 (1.0)	2.1 (.7)	2.2 (.6)	3.0 (1.1)	3.0 (1.0)	3.1 (1.1)	2.8 (1.0)
Stress-stomachaches*	2.0 (.6)	2.0 (.6)	2.8 (1.1)	2.9 (1.1)	2.8 (1.1)	2.6 (.9)	2.0 (.7)	2.1 (.6)	2.7 (1.0)	2.7 (1.0)	2.6 (1.1)	2.6 (.9)	2.0 (.7)	2.1 (.6)	2.7 (1.0)	2.7 (1.0)	2.6 (1.1)	2.6 (.9)
Substance use*	1.0 (.2)	1.0 (.2)	1.1 (.4)	1.4 (.8)	1.8 (.9)	1.7 (.9)	1.0 (.2)	1.0 (.1)	1.1 (.3)	1.3 (.6)	1.6 (.9)	1.8 (1.1)	1.0 (.17)	1.0 (.16)	1.1 (.3)	1.3 (.7)	1.7 (.9)	1.7 (1.0)
Support sharing*	2.2 (.6)	2.2 (.6)	3.7 (1.1)	3.6 (1.2)	3.7 (1.2)	3.7 (1.2)	2.1 (.5)	2.1 (.6)	3.3 (1.1)	3.4 (1.2)	3.6 (1.2)	3.7 (1.1)	2.2 (.6)	2.2 (.6)	3.3 (1.1)	3.4 (1.2)	3.6 (1.2)	3.7 (1.1)
Supportive people ( number)	2.9 (1.8)	2.9 (1.7)	2.9 (1.7)	1.8 (1.8)	2.8 (1.6)	2.9 (1.7)	2.3 (1.8)	2.3 (1.7)	2.2 (1.5)	2.3 (1.6)	2.6 (1.6)	2.6 (1.5)	2.6 (1.8)	2.7 (1.7)	2.6 (1.7)	2.6 (1.7)	2.7 (1.6)	2.8 (1.6)
Supportive woman	NA	NA	80%	78%	80%	73%	NA	NA	74%	71%	79%	84%	NA	NA	77%	75%	79%	77%
Unsafe feelings*****	.24 (.36)	.21 (.35)	.25 (.37)	.24 (.35)	.27 (.35)	.23 (.35)	.24 (.37)	.20 (.32)	.20 (.33)	.19 (.33)	.17 (.32)	.19 (.33)	.24 (.36)	.21 (.34)	.23 (.36)	.21 (.34)	.22 (.34)	.22 (.34)
Weight control behaviors*	1.4 (.5)	1.4 (.5)	1.9 (.9)	2.0 (.9)	2.1 (1.0)	1.9 (.9)	1.5 (.5)	1.5 (.5)	1.9 (.8)	1.9 (.9)	2.0 (.9)	1.8 (.9)	1.5 (.5)	1.4 (.5)	1.9 (.9)	2.0 (.9)	2.1 (1.0)	1.9 (.9)
Weight teasing from adults*	1.1 (.3)	1.1 (.3)	1.3 (.5)	1.3 (.5)	1.5 (.7)	1.3 (.5)	1.2 (.3)	1.2 (.3)	1.3 (.6)	1.3 (.5)	1.4 (.6)	1.4 (.6)	1.2 (.3)	1.2 (.3)	1.3 (.5)	1.3 (.5)	1.5 (.7)	1.4 (.6)
Weight teasing from peers*	1.3 (.4)	1.4 (.5)	1.8 (.9)	1.8 (.8)	2.0 (1.0)	1.7 (.7)	1.4 (9.5)	1.4 (.5)	1.7 (.8)	1.7 (.8)	1.6 (.8)	1.6 (.8)	1.4 (.5)	1.4 (.5)	1.7 (.9)	1.8 (.8)	1.8 (.9)	1.7 (.8)

- \*grade 4 and 5 scored 1-3 Grade 6-9 scored 1-5
- \*\* grade 4 and 5 scored 0-3 Grade 6-9 scored 0-5
- \*\*\*all grades scored 1-5
- \*\*\*\*all grades scored 0-3
- \*\*\*\*\*all grades scored 0-1

WHITES

	4	5	6	7	8	9
SAMPLE	111	101	128	137	102	139
Activities that make you feel good about yourself	NA	NA	3.0 (2.0)	3.2 (1.9)	3.1 (2.0)	2.9 (2.0)
Appearance Appraisal*	2.3 (.5)	2.2 (.5)	3.1 (1.0)	3.2 (1.0)	2.7 (.9)	2.7 (1.0)
Binge Eating*	1.3 (.5)	1.4 (.5)	1.8 (.8)	1.8 (.8)	2.0 (.9)	2.1 (1.0)
Bothered by body changes**	.6 (.6)	.7 (.8)	1.2 (.9)	1.3 (1.0)	1.4 (1.2)	1.4 (1.1)
Confidence*	2.4 (.5)	2.4 (.4)	3.4 (.9)	3.4 (.9)	3.1 (.9)	3.0 (.8)
Depression*	1.6 (.4)	1.7 (.5)	2.2 (.7)	2.2 (.7)	2.5 (.9)	2.6 (.7)
Emotional Eating-Less*	1.5 (.5)	1.5 (.5)	2.0 (.8)	1.9 (.8)	2.3 (1.0)	2.2 (.9)
Emotional Eating-More*	1.3 (.4)	1.3 (.4)	1.6 (.7)	1.7 (.7)	1.9 (.8)	2.1 (.9)
Father Stunkard Score	4.5 (1.2)	4.6 (1.3)	4.6 (1.2)	4.6 (1.3)	4.8 (1.5)	4.7 (1.7)
Health- Insulin use	2%	2%	1%	1%	1%	0%
Health- Ritalin use	7%	5%	3%	4%	3%	5%
History of Family Eating Disorder	NA	NA	17%	13%	21%	24%
Media Modelling*	1.4 (.6)	1.5 (.6)	2.0 (1.2)	2.0 (1.1)	2.5 (1.4)	2.4 (1.3)
Mother Stunkard score	4.2 (1.2)	4.3 (1.3)	4.2 (1.2)	4.3 (1.3)	4.6 (1.3)	4.8 (1.5)
Number of negative life events	2.5 (1.5)	2.9 (1.8)	3.6 (1.7)	3.3 (1.6)	3.5 (1.6)	4.2 (1.6)
Overconcern with weight and shape*	1.6 (.6)	1.6 (.6)	2.4 (1.1)	2.3 (1.1)	2.8 (1.3)	2.7 (1.2)
Parental concern with thinness*	1.2 (.4)	1.3 (.5)	1.2 (.6)	1.4 (.9)	1.4 (.6)	1.2 (.4)
Peer concern with thinness*	1.5 (.5)	1.6 (.6)	2.2 (1.0)	2.4 (1.0)	2.9 (1.2)	3.0 (1.0)
Perceived risk of eating disorder	NA	NA	11%	14%	22%	23%
Perfectionism***	3.1 (.9)	2.9 (.7)	2.5 (.8)	2.6 (.9)	2.7 (.9)	2.6 (.8)
Purging*	1.1 (.2)	1.0 (.1)	1.0 (.2)	1.1 (.3)	1.2 (.6)	1.1 (.4)

School performance****	2.5 (.6)	2.4 (.7)	2.4 (.6)	2.3 (.7)	2.2 (.8)	2.2 (.7)
Sexual pressure	NA	NA	8%	10%	22%	25%
Social eating*	1.4 (.6)	1.4 (.6)	1.9 (1.0)	1.9 (1.1)	2.3 (1.2)	2.2 (1.0)
Social evaluation*	NA	NA	2.7 (1.3)	2.8 (1.2)	3.3 (1.4)	3.2 (1.2)
Sports pressure for thinness			51%	48%	43%	40%
Stress-headaches	2.2 (.6)	2.2 (.6)	3.0 (1.1)	3.0 (1.0)	3.2 (1.1)	2.8 (1.1)
Stress-stomachaches*	2.1 (.6)	2.1 (.6)	2.8 (1.0)	2.7 (1.0)	2.7 (1.1)	2.6 (1.0)
Substance use*	1.0 (.2)	1.0 (.1)	1.1 (.3)	1.3 (.6)	1.6 (.9)	1.9 (1.1)
Support sharing*	2.2 (.6)	2.3 (.6)	3.7 (1.1)	3.7 (1.2)	3.7 (1.1)	3.8 (1.2)
Supportive people ( number)	2.8 (1.7)	2.6 (1.6)	2.9 (1.6)	2.9 (1.8)	2.9 (1.6)	3.0 (1.7)
Supportive woman	NA	NA	82%	79%	82%	82%
Unsafe feelings*****	.21 (.35)	.22 (.36)	.25 (.37)	.23 (.35)	.32 (.38)	.33 (.40)
Weight control behaviors*	1.5 (.5)	1.4 (.5)	1.9 (.8)	1.9 (.9)	2.2 (1.0)	1.9 (.9)
Weight teasing from adults*	1.1 (.2)	1.1 (.3)	1.2 (.5)	1.2 (.5)	1.4 (.7)	1.3 (.6)
Weight teasing from peers*	1.3 (.5)	1.4 (.5)	1.7 (.9)	1.6 (.7)	2.0 (1.0)	1.7 (.8)

- \*grade 4 and 5 scored 1-3 Grade 6-9 scored 1-5
- \*\* grade 4 and 5 scored 0-3 Grade 6-9 scored 0-5
- \*\*\*all grades scored 1-5
- \*\*\*\*all grades scored 0-3
- \*\*\*\*\*all grades scored 0-1

BLACKS

	4	5	6	7	8	9
SAMPLE	47	48	54	61	45	40
Activities that make you feel good about yourself	NA	NA	2.8 (2.1)	3.3 (2.6)	3.5 (1.7)	2.7 (1.9)
Appearance Appraisal*	2.4 (.5)	2.3 (.6)	3.3 (1.1)	3.7 (1.0)	3.8 (1.1)	3.6 (.9)
Binge Eating*	1.4 (.5)	1.5 (.5)	1.9 (1.0)	1.9 (1.0)	2.1 (1.1)	2.2 (1.2)
Bothered by body changes**	.6 (.6)	1.0 (.8)	1.3 (1.1)	1.4 (1.2)	1.2 (.9)	1.2 (1.1)
Confidence*	2.5 (.4)	2.4 (.5)	3.5 (.9)	3.7 (.9)	3.8 (1.0)	3.8 (.8)
Depression*	1.7 (.5)	1.7 (.4)	2.2 (.8)	2.2 (1.0)	2.0 (.6)	2.2 (.9)
Emotional Eating-Less*	1.7 (.6)	1.7 (.6)	1.8 (.9)	2.1 (.9)	1.7 (.7)	2.0 (.9)
Emotional Eating-More*	1.4 (.4)	1.5 (.5)	1.8 (.9)	1.9 (.9)	1.8 (.9)	1.9 (.8)
Father Stunkard Score	4.8 (1.3)	5.0 (1.5)	4.6 (1.4)	4.2 (1.2)	4.8 (1.3)	4.6 (1.3)
Health- Insulin use	7%	4%	0%	3%	0%	0%
Health- Ritalin use	12%	4%	4%	7%	2%	3%
History of Family Eating Disorder	NA	NA	12%	19%	6%	18%
Media Modelling*	1.5 (.6)	1.6 (.7)	2.3 (1.4)	1.8 (1.1)	1.9 (1.2)	1.9 (1.1)
Mother Stunkard score	4.2 (1.1)	4.6 (1.3)	4.2 (1.2)	4.5 (1.3)	4.4 (1.0)	4.7 (1.2)
Number of negative life events	3.1 (1.9)	3.4 (1.5)	3.5 (1.9)	4.1 (1.5)	3.3 (1.9)	4.4 (1.4)
Overconcern with weight and shape*	1.6 (.5)	1.7 (.6)	2.5 (1.3)	2.3 (1.1)	2.2 (1.0)	2.4 (1.1)
Parental concern with thinness*	1.3 (.5)	1.3 (.5)	1.5 (1.0)	1.3 (.5)	1.4 (.9)	1.3 (.8)
Peer concern with thinness*	1.6 (.6)	1.5 (.6)	2.1 (1.0)	2.1 (1.1)	2.3 (1.1)	2.2 (1.0)
Perceived risk of eating disorder	NA	NA	20%	16%	10%	13%
Perfectionism***	3.5 (.9)	3.3 (.8)	2.8 (1.0)	2.7 (.9)	2.7 (.9)	2.9 (1.1)
Purging*	1.0 (.1)	1.1 (.2)	1.1 (.3)	1.2 (.4)	1.1 (.4)	1.1 (.4)

School performance****	2.6 (.5)	2.5 (.5)	2.3 (.7)	2.0 (.7)	2.4 (.7)	2.2 (.7)
Sexual pressure	NA	NA	8%	20%	34%	25%
Social eating*	1.5 (.6)	1.6 (.6)	2.1 (1.1)	2.1 (1.2)	2.0 (.9)	1.9 (.9)
Social evaluation*	NA	NA	2.4 (1.4)	2.5 (1.5)	2.5 (1.3)	2.5 (1.3)
Sports pressure for thinness			61%	70%	4%	50%
Stress-headaches	2.2 (.7)	2.2 (.6)	3.0 (1.0)	3.2 (1.1)	3.0 (1.1)	2.9 (1.1)
Stress-stomachaches*	2.0 (.7)	2.1 (.6)	2.7 (1.0)	2.9 (1.1)	2.5 (1.1)	2.9 (1.1)
Substance use*	1.0 (.15)	1.0 (.12)	1.1 (.19)	1.4 (.9)	1.3 (.5)	1.4 (.8)
Support sharing*	2.2 (.6)	2.1 (.7)	3.5 (1.1)	3.3 (1.2)	3.6 (1.0)	3.7 (1.2)
Supportive people ( number)	2.6 (1.9)	2.6 (1.6)	2.1 (1.6)	2.7 (1.8)	3.2 (1.7)	2.8 (1.5)
Supportive woman	NA	NA	82%	78%	84%	88%
Unsafe feelings*****	.36 (.42)	.12 (.22)	.23 (.35)	.22 (.35)	.17 (.28)	.15 (.30)
Weight control behaviors*	1.5 (.5)	1.5 (.6)	1.9 (.9)	2.0 (.9)	1.8 (.9)	1.8 (.8)
Weight teasing from adults*	1.2 (.3)	1.2 (.4)	1.4 (.7)	1.4 (.6)	1.5 (.8)	1.4 (.6)
Weight teasing from peers*	1.4 (.4)	1.5 (.6)	1.8 (1.0)	1.8 (.8)	1.6 (.8)	1.5 (.6)

- \*grade 4 and 5 scored 1-3 Grade 6-9 scored 1-5
- \*\* grade 4 and 5 scored 0-3 Grade 6-9 scored 0-5
- \*\*\*all grades scored 1-5
- \*\*\*\*all grades scored 0-3
- \*\*\*\*\*all grades scored 0-1

HISPANICS

	4	5	6	7	8	9
SAMPLE	101	114	114	122	105	123
Activities that make you feel good about yourself	NA	NA	2.9 (2.1)	2.7 (2.1)	2.6 (2.1)	2.1 (1.6)
Appearance Appraisal*	2.2 (.6)	2.2 (.5)	3.0 (1.1)	2.6 (.9)	2.7 (.9)	2.8 (.9)
Binge Eating*	1.3 (.5)	1.4 (.5)	1.7 (1.0)	1.9 (1.0)	1.8 (1.0)	1.9 (.9)
Bothered by body changes**	.5 (.8)	.8 (.9)	1.4 (1.2)	1.5 (1.2)	1.3 (.9)	1.3 (1.0)
Confidence*	2.3 (.5)	2.4 (.4)	3.3 (.9)	2.9 (.8)	2.9 (.8)	3.1 (.9)
Depression*	1.6 (.4)	1.6 (.4)	2.2 (.9)	2.4 (.8)	2.2 (.8)	2.2 (.7)
Emotional Eating-Less*	1.7 (.5)	1.6 (.5)	2.0 (.9)	2.3 (1.0)	2.1 (.8)	2.1 (.8)
Emotional Eating-More*	1.3 (.4)	1.3 (.4)	1.6 (.8)	1.7 (.8)	1.8 (.9)	1.8 (.8)
Father Stunkard Score	4.6 (1.4)	4.6 (1.2)	4.4 (1.5)	4.6 (1.2)	4.8 (1.2)	4.8 (1.3)
Health- Insulin use	3%	4%	1%	0%	2%	0%
Health- Ritalin use	6%	5%	5%	4%	2%	1%
History of Family Eating Disorder	NA	NA	23%	19%	24%	17%
Media Modelling*	1.6 (.7)	1.5 (.6)	2.0 (1.1)	2.2 (1.3)	2.2 (1.2)	2.1 (1.1)
Mother Stunkard score	4.5 (1.2)	4.3 (1.1)	4.3 (1.3)	4.6 (1.3)	4.6 (1.2)	4.5 (1.3)
Number of negative life events	2.8 (1.7)	2.6 (1.6)	3.8 (2.0)	3.7 (1.8)	3.1 (1.6)	3.9 (1.6)
Overconcern with weight and shape*	1.7 (.6)	1.6 (.6)	2.5 (1.1)	2.6 (1.2)	2.6 (1.1)	2.6 (1.1)
Parental concern with thinness*	1.3 (.6)	1.2 (.6)	1.5 (1.0)	1.4 (.7)	1.5 (.8)	1.3 (.7)
Peer concern with thinness*	1.5 (.6)	1.6 (.6)	2.1 (1.1)	2.3 (1.1)	2.5 (1.2)	2.5 (1.0)
Perceived risk of eating disorder	NA	NA	18%	12%	19%	16%
Perfectionism***	3.2 (1.0)	3.2 (.9)	2.6 (.9)	2.6 (.8)	2.6 (.9)	2.5 (.8)
Purging*	1.1 (.3)	1.1 (.2)	1.1 (.5)	1.2 (.5)	1.1 (.3)	1.1 (.4)



School performance****	2.3 (.8)	2.5 (.6)	2.1 (.8)	2.0 (.7)	1.9 (.8)	2.0 (.8)
Sexual pressure	NA	NA	5%	10%	16%	20%
Social eating*	1.5 (.6)	1.5 (.6)	2.0 (1.1)	2.3 (1.1)	2.1 (1.2)	2.0 (1.0)
Social evaluation*	NA	NA	2.5 (1.3)	3.0 (1.3)	2.9 (1.4)	2.5 (1.2)
Sports pressure for thinness	NA	NA	51%	47%	33%	35%
Stress-headaches	1.9 (.8)	2.1 (.6)	3.1 (1.1)	3.0 (1.0)	3.1 (.9)	2.8 (1.0)
Stress-stomachaches*	2.0 (.7)	2.0 (.6)	2.7 (1.1)	2.8 (1.1)	2.9 (1.1)	2.6 (.9)
Substance use*	1.1 (.2)	1.0 (.2)	1.1 (.4)	1.3 (.6)	1.8 (1.0)	1.8 (1.0)
Support sharing*	2.1 (.6)	2.1 (.6)	3.5 (1.3)	3.4 (1.3)	3.6 (1.2)	3.7 (1.2)
Supportive people ( number)	2.5 (.9)	2.7 (1.8)	2.4 (1.7)	2.3 (1.5)	2.4 (1.7)	2.7 (1.6)
Supportive woman	NA	NA	71%	71%	77%	72%
Unsafe feelings*****	.24 (.36)	.22 (.33)	.24 (.37)	.18 (.34)	.14 (.30)	.14 (.28)
Weight control behaviors*	1.5 (.5)	1.4 (.5)	2.0 (.9)	2.1 (1.0)	2.1 (.9)	1.9 (.8)
Weight teasing from adults*	1.2 (.4)	1.1 (.3)	1.3 (.5)	1.3 (.5)	1.5 (.6)	1.3 (.6)
Weight teasing from peers*	1.4 (.5)	1.4 (.5)	1.8 (.8)	1.9 (.9)	1.8 (.8)	1.6 (.7)

- \*grade 4 and 5 scored 1-3 Grade 6-9 scored 1-5
- \*\* grade 4 and 5 scored 0-3 Grade 6-9 scored 0-5
- \*\*\*all grades scored 1-5
- \*\*\*\*all grades scored 0-3
- \*\*\*\*\*all grades scored 0-1